Monopoly without a Monopolist: Economics of the Bitcoin Payment System

Gur Huberman, Jacob D. Leshno, Ciamac Moallemi Columbia Business School

Two Known Forms of Money

Coins, paper bills

- Originate with a mint that makes them immune to forgery
- Possession is proof of ownership
- Payments are final
- Receipt is proof of payment; optional

Ledger-based

- MONOLITIC ledger
- Trusted third party maintains the ledger
- Trusted third party guarantees veracity
- Trusted third party always involved in payments
- Monopoly/Market power

Bitcoin: A Peer-to-Peer Electronic Cash System

- I0/2008: Satoshi Nakamoto floats the original 9 page white paper
- I/2009: Releases the first software
 - Mines the genesis block & earns 50btc for that

Electronic payment systems

- Bitcoin being the first
- ~25 systems have total balances of over \$1B; agg val ~\$380Bn
- New systems developed, offering new functionality

Cryptocurrencies

- Decentralized, two-sided platform
 - Users receive similar services to PayPal, Fedwire; Miners provide infrastructure
 - Object viable only on platform
 - Platform viable only if expected to remain viable in the future
 - Market design enabled by blockchain protocol
- Miners maintain the system
- Users make payments
 - Recipients accord value

Novel economic structure

- Owned by no one
- Rules fixed by a computer protocol
- A single agent's action doesn't affect others (~price taking)

Traditional Electronic Payment Systems

- Allows users to hold balances and make transfers
- Controlling authority
 - Provide trust, maintain infrastructure, sets usage fees, changes them when circumstances change.
- Natural monopoly
 - Monolithic ledger
 - Network externalities, fixed costs
 - Often requires regulation
- Examples: Fedwire, Venmo, PayPal, SWIFT, M-Pesa

Traditional Payment Systems vs. Bitcoin



Traditional Payment Systems vs. Bitcoin



Rules	Set by firm/org	Fixed by protocol
Infrastructure	Procured by firm/org	
Revenue	Fees set by firm/org	

Traditional Payment Systems vs. Bitcoin



Rules	Set by firm/org	Fixed by protocol	
Infrastructure	Procured by firm/org	y firm/org Revenue, entry/exit	
Revenue	Fees set by firm/org	Equilibrium congestion pricing, all agents served	

Sketch of Main Results

- Miners
- Users and congestion
- Stability, waste and (absence of) self-correction

Analysis of Miners

- In equilibrium, active miners maximize reward by procession K transactions with highest fees
 - Cannot affect the behavior of users or set transaction fees
 - Can observe pending transactions and their fees
 - Create block with highest fee transactions, up to block capacity
- Total system revenue, payments to miners (per unit time) is equal to total transaction fees (per unit time)
- Miners system providers! make zero profit.

Analysis of Users

- System congested; delays
- Users offer transaction fees to gain queuing priority

Analysis of Users/Transactions

- Users play a congestion queueing game
 - Transaction fees $b(c_i)$ are bids for priority
- Blocks mined/added at rate µ, each processes K highest fee transactions
 - Independently of number of miners
- Equilibrium transaction fees $b_i = b(c_i)$ maximize

$$u(c_i) = \mathbf{R} - c_i \cdot W(b_i|G) - b_i$$

where $W(b_i|G)$ is the expected delay for a user who bids b_i given distribution of others bids G

An Auction w/o an Auctioneer

- Nobody imposes transaction fees
- Equilibrium transaction fees $b_i = b(c_i)$ maximize

$$u(c_i) = \mathbf{R} - c_i \cdot W(b_i|G) - b_i$$

where $W(b_i|G)$ is the expected delay for a user who bids b_i given distribution of others bids G

In Equilibrium,

- Users with higher delay costs pay higher transaction fees, receive higher priority and lower delay
- Transaction fee paid by a user is equal to the externality imposed on other transactions

Data: Total Transaction Fees vs Congestion



Model curve parameters: K = 2,000, and delay costs $c \sim U[0,0.1]$ for 10min.

Revenue and infrastructure

- Infrastructure provided at cost
 - Free entry/exit, competition of miners
- Revenue determines infrastructure level
- Revenue varies with congestion
 - Infrastructure level can be too low or too high
 - Congestion and delay costs are necessary for positive revenue

Potential Instability

Corollary: No Delays \Rightarrow No Revenues

- Low utilization ρ implies low revenue, miners exit
- Miners exit does not generate congestion
 - System throughput is independent of number of miners
- System becomes unreliable with low number of miners (latency, vulnerability)
 - \blacktriangleright Potentially reducing user demand and ρ
 - Bad dynamics, leads to system collapse

Costs, Potential Waste

Costly design

- Redundancies
- Tournament for random selection of miners
- Delay costs are necessary to incentivize payment
- Infrastructure level (number of miners) may not be optimal
 - Determined by transaction fee payments due to congestion, not the need for more miners
- Potential instability
 - Entry/Exit does not help balance the system

Summary

- Economic innovation of Blockchain technology
 - No owner
 - Competitive pricing, even if the platform is a monopoly
 - Fees determined in equilibrium
- Congestion as a revenue generating mechanism
 - System can raise revenue while serving all potential users
 - Requires congestion, delay costs
- Design of revenue generating rules
 - Control congestion to target revenue
 - Benefit of smaller block size
 - Future work what revenue generating rules are implementable?

The Blockchain ledger

- A bitcoin transaction is a balance transfer between addresses
- Sent publicly (to the mempool)



C c80b7fb8fdd08cee477936df1f023a05df8e79f680b9b047e722c2e365348baa 🕞		mined Nov 30, 2016 4:56:53 PM	
15UAF2RS19XL6C7tJR8gsnys4z7PHTrLqd 19.4829 BTC	>	1NKGoZxNHupcfP7d1rzCyjaxDroiT4gdyw	3 BTC (S)
		1CkQwgCduA6YUhmG9ZhXaNjeERDoNdCSkk	16.4779 BTC (U)
FEE: 0.005 BTC		3 CONFIRMATIONS	19.4779 BTC

The Blockchain ledger

 A bitcoin transaction is a balance transfer between addresses



The Blockchain ledger is a list of all past transactions, organized into blocks



	Blockchain				
Miner I					
Miner 2					
Miner 7					

- Many Miners, free entry
- All hold identical copies of the blockchain

Blockchain Miner Miner 2 mempool Miner 7

New transactions transmitted to all miners

	Blockchain	
Miner		
Miner 2		
Miner 7		mempool

- Every 10 min (on avg), one randomly selected miner creates/mines a new block
- Maximal block size is IMB (approx. 2000 transactions)
 - Unprocessed transactions remain, wait for next block

Blockchain



- New mined block transmitted to all miners
- Vetted by others, becomes part of the blockchain

Blockchain

- Miners rewarded when mine a block:
 - 1. Fixed amount of newly minted coins
 - Majority of current reward
 - Only short term, halved every 4 years
 - 2. Transactions fees from transactions within the mined block
 - Long term
- Decentralized random selection by a tournament
 - Avoids the need for a trusted randomization device
 - Requires costly effort from each miner
 - Arrival of new blocks follows a Poisson process

Blockchain

- Equilibrium for (small) miners to follow the consensus blockchain (Nakamoto 2008, Eyal & Sirer 2013)
 - Only valid transactions verification using cryptography
 - Accept others' blocks follow the longest chain
 - With sufficiently many miners the system is secure

Blockchain – Properties

Users choose transaction fees

(Small) Miners are price takers

- Provide computational infrastructure, rewarded by transaction fees and newly minted coins
- Cannot block transactions, affect user behavior or transaction fees

Free entry and exit of miners

System's throughput independent of number of miners

Set by protocol parameters (1MB, I0min)

A Simplified Economic Model

N (small) miners

- Equal computing power, equal cost of mining c_m
- Many potential miners, free entry/exit
- Blocks mined at Poisson rate μ
 - Up to *K* transactions processed per block
- Users/transactions arrive at Poisson rate $\lambda < K \cdot \mu$
 - Each user has a single transaction, selects fee $b \ge 0$
 - Heterogeneous delay cost $c \sim F[0, \overline{c}]$

Simplified Economic Model

• Assumptions:

- Unobservable queue
- Sufficiently high value for service R, all users served
- No new coins minted
- Sufficiently many miners for the system to operate securely